



Appendix 1.

Pakuratahi Land Use Study: Publications and Reports.

Baillie, B. R. 2005: Channel morphology in pasture and pine catchments, Hawke's Bay, New Zealand – 2005 survey. Ensis Contract Report A15906, Hawke's Bay Regional Council. 19p.

Baillie, B. R.; Fransen, P.; Rodgers, B.; Death, R. 2002: Comparison of channel morphology in pasture and pine plantation catchments, Hawke's Bay, New Zealand. Sustainable Forest Management Report, New Zealand Forest Research Limited. 20p.

Death, R. G. 2002: The effect of land use on invertebrate communities in the Pakuratahi catchment. Massey University, Palmerston North. 32p.

Death, R. G.; Baillie, B.; Fransen, P. 2003: Effect of *Pinus radiata* logging on stream invertebrate communities in Hawke's Bay, New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 37: 507-520.

Fahey, B.D. 1999: Sediment yields from a forested and pasture catchment in coastal Hawke's Bay. In: Abstracts with Programme, New Zealand Hydrological Society Annual Symposium, Napier, 1999, p.91.

Fahey, B.D.; Marden, M. 2000: Sediment yields from a forested and a pasture catchment, coastal Hawke's Bay, North Island, *New Zealand Journal of Hydrology (NZ)* 39: 49-63.

Fahey, B.D.; Phillips, C. 2001: Sediment yields associated with forest harvesting in Coastal Hawke's Bay. In: Abstracts with Programme, New Zealand Hydrological Society Joint Conference ("Just Add Water"), Massey University, Palmerston North, 2001, p.128.

Fahey, B.D.; Marden, M.; Phillips, C.J. 2003: Sediment yields from plantation forestry and pastoral farming, coastal Hawke's Bay, North Island, *New Zealand Journal of Hydrology (NZ)* 42: 27-38.

Fransen, P.J.B. 1996: A model of slip erosion risk, central Hawke's Bay coastal hill country. LIRO Project Report, PR 59, 16p.

Fransen, P.J.B. 1998: Slips and sedimentation in mature plantation forest and pastoral hill country, Hawke's Bay, New Zealand. LIRO Report 16 p.

Fransen P.; Brownlie, R. 1995: Historical slip erosion in catchments under pasture and radiata pine forest, Hawke's Bay hill country. NZ Forestry. February pp. 29-33.

Fransen P.; Brownlie, R. 1996: Physical Characteristics of Pakuratahi-Tamingimangi Catchments, Central Hawke's Bay. New Zealand Logging Research Organisation, Rotorua, New Zealand.

Fenton, J.A. 1996: Pakuratahi – Tamingimangi research project: Pre-harvest water quality and water quantity. Unpublished report prepared for the Hawke's Bay Regional Council, Blue Tear Environmental, PO Box 923 Napier, 37 p.



Gilmore, B. 1999: Pakuratahi land use study road construction and logging operations, 1997–1999. Pan Pac Forest Products report (unpublished).

Hawke's Bay Regional Council 1997: Pakuratahi Land Use Study: 1996-1997 Annual Report. Environmental Management Group Internal Report (EMI 9706)

Hawke's Bay Regional Council 1999: Pakuratahi Land Use Study: 1997-1998 Annual Report. Environmental Management Group Internal Report (EMI 9901)

Hawke's Bay Regional Council 1999: Pakuratahi Land Use Study: 1998-1999 Annual Report. Environmental Management Group Internal Report (EMI 9914)

Hawke's Bay Regional Council 2001: Pakuratahi Land Use Study: 1999-2000 Annual Report. Environmental Management Group Internal Report (EMI 0101)

Hawke's Bay Regional Council 2002: Pakuratahi Land Use Study: 2000-2001 Annual Report. Environmental Management Group Internal Report (EMI 0203)

Hawke's Bay Regional Council 2003: Pakuratahi Land Use Study: 2001-2002 Annual Report. Environmental Management Group Internal Report (EMI 0304)

Hawke's Bay Regional Council 2004: Pakuratahi Land Use Project: 2002-2003 Annual Report. Environmental Management Group Internal Report (EMI 0401)

Hawke's Bay Regional Council 2005: Pakuratahi Land Use Project: 2003-2004 Annual Report. Environmental Management Group Internal Report (EMI 0501)

Lamason A.D. 2006. Pakuratahi and Tamingimangi Catchment Erosion 2005-06. Technical Report No EMT06/02. Hawke's Bay Regional Council, Napier, New Zealand.

Quinn, J.M.; Kemp, C.L.S. 2000: Effects of land use and pine plantation harvesting on water quality of coastal Hawke's Bay streams: preliminary analysis of Pakuratahi study findings. Unpublished report prepared for the Hawke's Bay Regional Council, NIWA Client Report: HBR01201/1 16 p.

Quinn, J.; Rowe, D, K.; Chisnall, B.L.; Dean, T., Halliday, J.; Parkyn, S. 1996: Stream habitat, invertebrate populations and native fish in tributaries of the Pakuratahi Stream, Hawke's Bay-NIWA consultancy report HBR 60201

Stansfield, B. 2006: Effects of land use and pine plantation harvesting on water quality of coastal Hawke's Bay streams: further analysis of Pakuratahi study findings for the period 1995–2000. Hawke's Bay Regional Council Technical Report EMI 0602, 19p.



Appendix 2.

List of authors

B.R. Baillie
Freshwater Scientist
Ensis-environment
Te Papa Tipu Innovation Park
Private Bag 3020
Rotorua

R. Black
Environmental Planner
Carter Holt Harvey Forests
P O Box 648
Tokoroa

R. Death
Senior Lecturer
Institute of Natural Resources
Massey University
Private Bag 11-222
Palmerston North

G. Eyles
Manager Land Management
Hawke's Bay Regional Council
P O Box 6006
Napier

B.D. Fahey
Research Associate
Landcare Research Ltd
PO Box 69
Lincoln 8152

B. Gilmore
Environmental and Technical Advisor
Pan Pac Forest Products Ltd
P O Box 3257
Napier

M. Marden
Senior Scientist
Landcare Research Ltd
PO Box 445
Gisborne

B. Stanfield
Scientist, Fresh Water Quality
Hawke's Bay Regional Council
P O Box 6006
Napier

G. Wood
Scientist, Water Quantity
Hawke's Bay Regional Council
P O Box 6006
Napier

